NYS Grade 6 to Grade 8 Mathematics Learning Standards

Grade 6

Ratios and Proportional Relationships

			Ratios and Prop	ortional Relationships	
		Standard Code	Current Standard	Revised Standard Recommendation for 2018-19	Additional Information/Notes
ers	ratio reasoning to solve problems.	6.RP.A.1	1. Understand the concept of a ratio and use ratio language to describe a ratio relationship between two quantities. For example, "The ratio of wings to beaks in the bird house at the zoo was 2:1, because for every 2 wings there was 1 beak." "For every vote candidate A received, candidate C received nearly three votes."	1. No Change	
Clusters	A. Understand ratio concepts and use r	6.RP.A.2	2. Understand the concept of a unit rate a/b associated with a ratio a:b with b ≠ 0 (b not equal to zero), and use rate language in the context of a ratio relationship. For example, "This recipe has a ratio of 3 cups of flour to 4 cups of sugar, so there is 3/4 cup of flour for each cup of sugar." "We paid \$75 for 15 hamburgers, which is a rate of \$5 per hamburger." (Footnote: Expectations for unit rates in this grade are limited to non-complex fractions.)	2. Understand the concept of a unit rate a/b associated with a ratio a:b with b ≠ 0 (b not equal to zero), and use rate language in the context of a ratio relationship. For example, "This recipe has a ratio of 3 cups of flour to 4 cups of sugar, so there is 3/4 cup of flour for each cup of sugar." "We paid \$75 for 15 hamburgers, which is a rate of \$5 per hamburger." (Note: Expectations for unit rates in this grade are limited to non-complex fractions.)	Clarification

NYS Grade 6 to Grade 8 Mathematics Learning Standards

Grade 6

Ratios and Proportional Relationships

		Standard Code	Current Standard	Revised Standard Recommendation for 2018-19	Additional Information/Notes
	blems.	6.RP.A.3	3. Use ratio and rate reasoning to solve real-world and mathematical problems, e.g., by reasoning about tables of equivalent ratios, tape diagrams, double number line diagrams, or equations.	3. Use ratio and rate reasoning to solve real-world and mathematical problems, which includes, by reasoning about tables of equivalent ratios, tape diagrams, double number line diagrams, or equations.	Clarification
	oning to solve problems	6.RP.A.3a	3a. Make tables of equivalent ratios relating quantities with whole-number measurements, find missing values in the tables, and plot the pairs of values on the coordinate plane. Use tables to compare ratios.	3a. No Change	
Clusters	and use ratio reaso	6.RP.A.3b	3b. Solve unit rate problems including those involving unit pricing and constant speed. For example, If it took 7 hours to mow 4 lawns, then at that rate, how many lawns could be mowed in 35 hours? At what rate were lawns being mowed?	3b. No Change	
	Understand ratio concepts and use ratio reasoning to	6.RP.A.3c	3c. Find a percent of a quantity as a rate per 100 (e.g., 30% of a quantity means 30/100 times the quantity); solve problems involving finding the whole given a part and the percent.	3c. Know that a percent of a quantity is a rate per 100. For example, 30% of a quantity means 30/100 times the quantity. Solve problems involving finding the whole given a part and the percent, finding the percent given the part and the whole, and finding a part of a whole given the percent.	Clarification
	A. Under	6.RP.A.3d	3d. Use ratio reasoning to convert measurement units; manipulate and transform units appropriately when multiplying or dividing quantities.	3d. Use ratio reasoning to convert measurement units; manipulate and transform units appropriately when multiplying or dividing quantities. (Note: Conversion of units can occur within a given measurement system and across different measurement systems.)	

NYS Grade 6 to Grade 8 Mathematics Learning Standards Grade 6 The Number System Standard Corde Corde Corde NYS Grade 6 to Grade 8 Mathematics Learning Standards Grade 6 Revised Standard Recommendation for 2018-19 Additional Information/Note:

		Standard Code	Current Standard	Revised Standard Recommendation for 2018-19	Additional Information/Notes
2000000	A. Apply and extend previous understandings of multiplication and division to divide fractions by fractions.	6.NS.A.1	1. Interpret and compute quotients of fractions, and solve word problems involving division of fractions by fractions, e.g., by using visual fraction models and equations to represent the problem. For example, create a story context for (2/3) ÷ (3/4) and use a visual fraction model to show the quotient; use the relationship between multiplication and division to explain that (2/3) ÷ (3/4) = 8/9 because 3/4 of 8/9 is 2/3. (In general, (a/b) ÷ (c/d) = ad/bc.) How much chocolate will each person get if 3 people share 1/2 lb of chocolate equally? How many 3/4-cup servings are in 2/3 of a cup of yogurt? How wide is a rectangular strip of land with length 3/4 mi and area 1/2 square mi?	1. Interpret and compute quotients of fractions, and solve word problems involving division of fractions by fractions, which includes using visual fraction models, the standard algorithm, and equations to represent the problem. For example, create a context for (2/3) ÷ (3/4) and use a visual fraction model to show the quotient; use the relationship between multiplication and division to explain that (2/3) ÷ (3/4) = 8/9 because 3/4 of 8/9 is 2/3. How much chocolate will each person get if 3 people share 1/2 lb of chocolate equally? How many 3/4-cup servings are in 2/3 of a cup of yogurt? How wide is a rectangular strip of land with length 3/4 mi and area 1/2 square mi? (In general, (a/b) ÷ (c/d) = ad/bc.)	Clarification

	NYS Grade 6 to Grade 8 Mathematics Learning Standards					
	Grade 6					
			The Nu	mber System		
	_	Standard Code	Current Standard	Revised Standard Recommendation for 2018-19	Additional Information/Notes	
	and find	6.NS.B.2	Fluently divide multi-digit numbers using the standard algorithm.	2. No Change	Note: Multi-digit division is an expected fluency for grade 6.	
	ligit numbers multiples.	6.NS.B.3	3. Fluently add, subtract, multiply, and divide multi-digit decimals using the standard algorithm for each operation.	3. No Change	Note: Multi-digit decimal operations are an expected fluency in grade 6.	
Clusters	B. Compute fluently with multi-d common factors and		4. Find the greatest common factor of two whole numbers less than or equal to 100 and the least common multiple of two whole numbers less than or equal to 12. Use the distributive property to express a sum of two whole numbers 1–100 with a common factor as a multiple of a sum of two whole numbers with no common factor. For example, express 36 + 8 as 4 (9 + 2).	4. No Change		

NYS Grade 6 to Grade 8 Mathematics Learning Standards Grade 6

The Number System

	The Number System				
		Standard Code	Current Standard	Revised Standard Recommendation for 2018-19	Additional Information/Notes
Clusters	rational numbers.	6.NS.C.5	5. Understand that positive and negative numbers are used together to describe quantities having opposite directions or values (e.g., temperature above/below zero, elevation above/below sea level, debits/credits, positive/negative electric charge); use positive and negative numbers to represent quantities in realworld contexts, explaining the meaning of 0 in each situation.	5. Understand that positive and negative numbers are used together to describe quantities having opposite directions or values; use positive and negative numbers to represent quantities in real-world contexts, explaining the meaning of 0 in each situation. For example, temperature above/below zero, elevation above/below sea level, debits/credits, positive/negative electric charge.	Clarification
	rs to the system of	6.NS.C.6	6. Understand a rational number as a point on the number line. Extend number line diagrams and coordinate axes familiar from previous grades to represent points on the line and in the plane with negative number coordinates.	6. No Change	
	ndings of number	6.NS.C.6a	6a. Recognize opposite signs of numbers as indicating locations on opposite sides of 0 on the number line; recognize that the opposite of the opposite of a number is the number itself, e.g., –(–3) = 3, and that 0 is its own opposite.	6a. Recognize opposite signs of numbers as indicating locations on opposite sides of 0 on the number line; recognize that the opposite of the opposite of a number is the number itself. For example, -(-3) = 3, and that 0 is its own opposite.	Clarification
	Apply and extend previous understandings of numbers to the system of rational numbers.	6.NS.C.6b	6b. Understand signs of numbers in ordered pairs as indicating locations in quadrants of the coordinate plane; recognize that when two ordered pairs differ only by signs, the locations of the points are related by reflections across one or both axes.	6b. Understand signs of numbers in ordered pairs as indicating locations in quadrants of the coordinate plane; recognize that when two ordered pairs differ only by signs, the locations of the points are related by reflections across one or both axes. (Note: This standard is not intended to be the beginning of transformational geometry.)	Clarification
	C. Apply and ϵ	6.NS.C.6c	6c. Find and position integers and other rational numbers on a horizontal or vertical number line diagram; find and position pairs of integers and other rational numbers on a coordinate plane.	6c. No Change	

NYS Grade 6 to Grade 8 Mathematics Learning Standards

Grade 6

The Number System

	i ne Number System				
		Standard Code	Current Standard	Revised Standard Recommendation for 2018-19	Additional Information/Notes
	nbers.	6.NS.C.7	7. Understand ordering and absolute value of rational numbers.	7. No Change	
	e system of rational numbers.	6.NS.C.7a	7a. Interpret statements of inequality as statements about the relative position of two numbers on a number line diagram. For example, interpret –3 > –7 as a statement that –3 is located to the right of –7 on a number line oriented from left to right.	7a. No Change	
ers	f numbers to the	6.NS.C.7b	7b. Write, interpret, and explain statements of order for rational numbers in real-world contexts. For example, write –3°C > –7°C to express the fact that – 3°C is warmer than –7°C.	7b. No Change	
Clusters	Apply and extend previous understandings of numbers to the system of	6.NS.C.7c	7c. Understand the absolute value of a rational number as its distance from 0 on the number line; interpret absolute value as magnitude for a positive or negative quantity in a real-world situation. For example, for an account balance of –30 dollars, write –30 = 30 to describe the size of the debt in dollars.	7c. No Change	
	C. Apply and extend p	6.NS.C.7d	7d. Distinguish comparisons of absolute value from statements about order. For example, recognize that an account balance less than –30 dollars represents a debt greater than 30 dollars.	7d. Distinguish comparisons of absolute value from statements about order. For example, someone with a balance of \$100 in their bank account has more money than someone with a balance of -\$1000, because 100 > -1000. But the second person's debt is much larger than the first person's credit because -1000 > 100 .	Clarification

NYS Grade 6 to Grade 8 Mathematics Learning Standards Grade 6 The Number System Standard **Additional Information/Notes Current Standard** Revised Standard Recommendation for 2018-19 Code 6.NS.C.8 8. Solve real-world and mathematical problems by 8. No Change C. Apply and extend previous understandings of numbers to the system graphing points in all four quadrants of the coordinate plane. Include use of coordinates and absolute value to find distances between points with the same first coordinate or the same second coordinate. of rational numbers.

NYS Grade 6 to Grade 8 Mathematics Learning Standards

Grade 6

Expressions and Equations (Inequalities)


	•			Equations (inequalities)	
		Standard Code	Current Standard	Revised Standard Recommendation for 2018-19	Additional Information/Notes
	pressions.	6.EE.A.1	Write and evaluate numerical expressions involving whole-number exponents.	1. No Change	
	gebraic ex	6.EE.A.2	Write, read, and evaluate expressions in which letters stand for numbers.	2. No Change	
	f arithmetic to alg	6.EE.A.2a	2a. Write expressions that record operations with numbers and with letters standing for numbers. For example, express the calculation "Subtract y from 5" as 5 – y.	2a. No Change	
Clusters	extend previous understandings of arithmetic to algebraic expressions.	6.EE.A.2b	2b. Identify parts of an expression using mathematical terms (sum, term, product, factor, quotient, and coefficient); view one or more parts of an expression as a single entity. For example, describe the expression 2(8 + 7) as a product of two factors; view (8 + 7) as both a single entity and a sum of two terms.	2b. No Change	
	A. Apply and extend previous	6.EE.A.2c	2c. Evaluate expressions at specific values for their variables. Include expressions that arise from formulas in real-world problems. Perform arithmetic operations, including those involving whole-number exponents, in the conventional order when there are no parentheses to specify a particular order (Order of Operations). For example, use the formulas V = s^3 and A = 6 s^2 to find the volume and surface area of a cube with sides of length s = 1/2.	2c. No Change	

NYS Grade 6 to Grade 8 Mathematics Learning Standards

Grade 6

Expressions and Equations (Inequalities)

		Standard		Deviced Standard Recommendation for 2010 10	Additional Information /AL
		Code	Current Standard	Revised Standard Recommendation for 2018-19	Additional Information/Notes
	Apply and extend previous understandings of arithmetic to algebraic expressions.	6.EE.A.3	3. Apply the properties of operations to generate equivalent expressions. For example, apply the distributive property to the expression $3(2 + x)$ to produce the equivalent expression $6 + 3x$; apply the distributive property to the expression $24x + 18y$ to produce the equivalent expression $6 (4x + 3y)$; apply properties of operations to $y + y + y$ to produce the equivalent expression $3y$.	3. No Change	
Clusters		6.EE.A.4	4. Identify when two expressions are equivalent (i.e., when the two expressions name the same number regardless of which value is substituted into them). For example, the expressions y + y + y and 3y are equivalent because they name the same number regardless of which number y stands for.	4. No Change	
Clus	B. Reason about and solve one-variable equations and inequalities.	6.EE.B.5	5. Understand solving an equation or inequality as a process of answering a question: which values from a specified set, if any, make the equation or inequality true? Use substitution to determine whether a given number in a specified set makes an equation or inequality true.	5. No Change	
		6.EE.B.6	6. Use variables to represent numbers and write expressions when solving a real-world or mathematical problem; understand that a variable can represent an unknown number, or, depending on the purpose at hand, any number in a specified set.	6. No Change	



NYS Grade 6 to Grade 8 Mathematics Learning Standards Grade 6 **Expressions and Equations (Inequalities)** Standard **Current Standard Revised Standard Recommendation for 2018-19 Additional Information/Notes** Code 6.EE.B.7 7. Solve real-world and mathematical problems by 7. Solve real-world and mathematical problems by Clarification writing and solving equations of the form x + p = qwriting and solving equations of the form x + p = q and and solve one-variable and px = q for cases in which p, q and x are all px = q for cases in which p, q and x are all nonnegative nonnegative rational numbers. rational numbers and where x represents the unknown equations and inequalities. quantity. (Note: This standard includes subtraction and division, the inverse operations of addition and multiplication.) 8. Write an inequality of the form x > c or x < c to 8. Write an inequality of the form x > c or x < c to 6.EE.B.8 Clarification Reason about represent a constraint or condition in a real-world or represent a constraint or condition in a real-world or mathematical problem. Recognize that inequalities mathematical problem. Recognize that inequalities of of the form x > c or x < c have infinitely many the form x > c or x < c have infinitely many solutions; solutions; represent solutions of such inequalities on represent solutions of such inequalities on number line number line diagrams. diagrams. (Note: Inequalities using less than or equal Clusters to and greater than or equal to are included in this standard.) 9. Use variables to represent two quantities in a real-9. Use variables to represent two quantities in a real-6.EE.C.9 In this standard, "write an world problem that change in relationship to one world problem that change in relationship to one equation" is replaced with another; write an equation to express one quantity, another; given an equation to express one quantity, "given an equation" to limit C. Represent and analyze quantitative relationships between dependent and independent variables. thought of as the dependent variable, in terms of identify the dependent variable, in terms of the other the scope of the standard and the other quantity, thought of as the independent quantity, thought of as the independent variable. allow focus on the importance variable. Analyze the relationship between the Analyze the relationship between the dependent and of identifying dependent and dependent and independent variables using graphs independent variables using graphs and tables, and independent variables given a and tables, and relate these to the equation. For relate these to the equation. For example, in a particular real-world situation. example, in a problem involving motion at constant problem involving motion at constant speed, list and speed, list and graph ordered pairs of distances and graph ordered pairs of distances and times, and given

times, and write the equation d = 65t to represent

the relationship between distance and time.

the equation d = 65t to represent the relationship

between distance and time.

NYS Grade 6 Grade 6 to Grade 8 Mathematics Learning Standards

Grade 6

	Geometry					
		Standar d Code	Current Standard	Revised Standard Recommendation for 2018-19	Additional Information/Notes	
	area and volume.	6.G.A.1	Find area of right triangles, other triangles, special quadrilaterals, and polygons by composing into rectangles or decomposing into triangles and other shapes; apply these techniques in the context of solving real-world and mathematical problems.	1. Find area of right triangles, other triangles, special quadrilaterals, and polygons by composing into rectangles or decomposing into triangles and other special quadrilaterals; apply these techniques in the context of solving real-world and mathematical problems. Explore square numbers through area.	This standard includes the development of square numbers through area. This leads to a conceptual understanding of square roots in grade 8.	
Clusters	lems involving area, surface area	6.G.A.2	2. Find the volume of a right rectangular prism with fractional edge lengths by packing it with unit cubes of the appropriate unit fraction edge lengths, and show that the volume is the same as would be found by multiplying the edge lengths of the prism. Apply the formulas <i>V</i> = <i>I</i> w h and <i>V</i> = b h to find volumes of right rectangular prisms with fractional edge lengths in the context of solving real-world and mathematical problems.	2. Find the volume of a right rectangular prism with fractional edge lengths by packing it with unit cubes of the appropriate unit fraction edge lengths, and show that the volume is the same as would be found by multiplying the edge lengths of the prism. Apply the formulas <i>V</i> = <i>I</i> w h and <i>V</i> = <i>B</i> h to find volumes of right rectangular prisms with fractional edge lengths in the context of solving real-world and mathematical problems. Explore cubic numbers through volume.	This standard includes the development of cubic numbers through volume. This leads to a conceptual understanding of cube roots in grade 8. The volume formula is changed to V = B h which identifies B as the area of the base.	
Clust	Solve real-world and mathematical problems involving area,	6.G.A.3	3. Draw polygons in the coordinate plane given coordinates for the vertices; use coordinates to find the length of a side joining points with the same first coordinate or the same second coordinate. Apply these techniques in the context of solving real-world and mathematical problems.	3. No Change		
	A. Solve real-wo	6.G.4	4. Represent three-dimensional figures using nets made up of rectangles and triangles, and use the nets to find the surface area of these figures. Apply these techniques in the context of solving real-world and mathematical problems.	4. No Change		

NYS Grade 6 to Grade 8 Mathematics Learning Standards

Grade 6 Statistics and Probability

		Standard Code	Current Standard	Revised Standard Recommendation for 2018-19	Additional Information/Notes
Clusters	f statistical variability.	6.SP.A.1	1. Recognize a statistical question as one that anticipates variability in the data related to the question and accounts for it in the answers. For example, "How old am I?" is not a statistical question, but "How old are the students in my school?" is a statistical question because one anticipates variability in students' ages.	1. No Change	
	understanding of	6.SP.A.2	Understand that a set of data collected to answer a statistical question has a distribution which can be described by its center, spread, and overall shape.	2. No Change	
	A. Develop und	6.SP.A.3	3. Recognize that a measure of center for a numerical data set summarizes all of its values with a single number while a measure of variation describes how its values vary with a single number.	3. No Change	

NYS Grade 6 to Grade 8 Mathematics Learning Standards

Grade 6 Statistics and Probability

		Statistics and Probability			
		Standard Code	Current Standard	Revised Standard Recommendation for 2018-19	Additional Information/Notes
		6.SP.B.4	4. Display numerical data in plots on a number line, including dot plots, histograms, and box plots.	4. No Change	
	ns.	6.SP.B.5	5. Summarize numerical data sets in relation to their context, such as by:	5. No Change	
	stributio	6.SP.B.5a	5a. Reporting the number of observations.	5a. No Change	
Clusters	nd describe distributions.	6.SP.B.5b	5b. Describing the nature of the attribute under investigation, including how it was measured and its units of measurement.	5b. No Change	
	B. Summarize and	6.SP.B.5c	5c. Giving quantitative measures of center (median and/or mean) and variability (interquartile range and/or mean absolute deviation), as well as describing any overall pattern and any striking deviations from the overall pattern with reference to the context in which the data was gathered.	5c. No Change	
		6.SP.B.5d	5d. Relating the choice of measures of center and variability to the shape of the data distribution and the context in which the data was gathered.	5d. Understanding that the choice of measures of center and variability relates to the shape of the data distribution and the context in which the data was gathered.	