

November 03, 2016

Michael Anania  
NYS School for the Deaf  
401 Turin St  
Rome, NY 13440

RE: Project: NYSD - BLDG.11B-2nd Floor  
Pace Project No.: 10366511

Dear Michael Anania:

Enclosed are the analytical results for sample(s) received by the laboratory on October 14, 2016. The results relate only to the samples included in this report. Results reported herein conform to the most current, applicable TNI/NELAC standards and the laboratory's Quality Assurance Manual, where applicable, unless otherwise noted in the body of the report.

Samples, in the electronic data deliverable (EDD) that accompanied this report, were flagged yellow if they exceeded the NYSDOH 15 ppb action level.

The space designated for the sampler on the chain of custody (COC) indicates if these samples were collected by Pace Analytical or were collected by the school district and just relinquished to Pace Analytical.

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Amanda Albrecht  
amanda.albrecht@pacelabs.com  
Project Manager

Enclosures



## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## CERTIFICATIONS

Project: NYSD - BLDG.11B-2nd Floor

Pace Project No.: 10366511

---

### Minnesota Certification IDs

1700 Elm Street SE Suite 200, Minneapolis, MN 55414

Alaska Certification UST-107

525 N 8th Street, Salina, KS 67401

A2LA Certification #: 2926.01

Alaska Certification #: UST-078

Alaska Certification #MN00064

Alabama Certification #40770

Arizona Certification #: AZ-0014

Arkansas Certification #: 88-0680

California Certification #: 01155CA

Colorado Certification #Pace

Connecticut Certification #: PH-0256

EPA Region 8 Certification #: 8TMS-L

Florida/NELAP Certification #: E87605

Guam Certification #:14-008r

Georgia Certification #: 959

Georgia EPD #: Pace

Idaho Certification #: MN00064

Hawaii Certification #MN00064

Illinois Certification #: 200011

Indiana Certification#C-MN-01

Iowa Certification #: 368

Kansas Certification #: E-10167

Kentucky Dept of Envi. Protection - DW #90062

Kentucky Dept of Envi. Protection - WW #:90062

Louisiana DEQ Certification #: 3086

Louisiana DHH #: LA140001

Maine Certification #: 2013011

Maryland Certification #: 322

Michigan DEPH Certification #: 9909

Minnesota Certification #: 027-053-137

Mississippi Certification #: Pace

Montana Certification #: MT0092

Nevada Certification #: MN\_00064

Nebraska Certification #: Pace

New Jersey Certification #: MN-002

New York Certification #: 11647

North Carolina Certification #: 530

North Carolina State Public Health #: 27700

North Dakota Certification #: R-036

Ohio EPA #: 4150

Ohio VAP Certification #: CL101

Oklahoma Certification #: 9507

Oregon Certification #: MN200001

Oregon Certification #: MN300001

Pennsylvania Certification #: 68-00563

Puerto Rico Certification

Saipan (CNMI) #:MP0003

South Carolina #:74003001

Texas Certification #: T104704192

Tennessee Certification #: 02818

Utah Certification #: MN000642013-4

Virginia DGS Certification #: 251

Virginia/VELAP Certification #: Pace

Washington Certification #: C486

West Virginia Certification #: 382

West Virginia DHHR #:9952C

Wisconsin Certification #: 999407970

---

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## SAMPLE SUMMARY

Project: NYSD - BLDG.11B-2nd Floor  
Pace Project No.: 10366511

Lab ID	Sample ID	Matrix	Date Collected	Date Received
10366511001	Room2-26/Library	Water	10/08/16 00:24	10/14/16 09:45
10366511002	Room2-32/Kitchen/Left Sink	Water	10/08/16 00:26	10/14/16 09:45
10366511003	Room2-32/Kitchen/Right Sink	Water	10/08/16 00:26	10/14/16 09:45
10366511004	Room2-36/Hallway/Fountain	Water	10/08/16 00:37	10/14/16 09:45
10366511005	Room2-39/ Bathroom/Sink	Water	10/08/16 00:58	10/14/16 09:45
10366511006	Room2-41/Classroom Sink	Water	10/08/16 00:57	10/14/16 09:45
10366511007	Room2-42/Classroom Sink	Water	10/08/16 00:56	10/14/16 09:45
10366511008	Room2-44	Water	10/08/16 00:54	10/14/16 09:45
10366511009	Room2-45/Girls BathRm/L. Sink	Water	10/08/16 00:51	10/14/16 09:45
10366511010	Room2-45/Girls BathRm/R. Sink	Water	10/08/16 00:51	10/14/16 09:45
10366511011	Room2-46	Water	10/08/16 00:50	10/14/16 09:45
10366511012	Room2-48/Boys BathRm/L. Sink	Water	10/08/16 00:47	10/14/16 09:45
10366511013	Room2-48/Boys BathRm/R. Sink	Water	10/08/16 00:47	10/14/16 09:45
10366511014	Room2-49/Ladies Staff Bath/L.	Water	10/08/16 00:44	10/14/16 09:45
10366511015	Room2-49/Ladies Staff Bath/R.	Water	10/08/16 00:44	10/14/16 09:45
10366511016	Room2-53/Mens Staff Bath/L.	Water	10/08/16 00:37	10/14/16 09:45
10366511017	Room2-53/Mens Staff Bath/R.	Water	10/08/16 00:37	10/14/16 09:45
10366511018	Room2-54/ Girls Bath/Left Sink	Water	10/08/16 00:34	10/14/16 09:45
10366511019	Room2-54/ Girls Bath/RightSink	Water	10/08/16 00:34	10/14/16 09:45
10366511020	Room2-55/Boys Bath	Water	10/08/16 00:34	10/14/16 09:45
10366511021	Room2-57/Classroom/Left Sink	Water	10/08/16 00:30	10/14/16 09:45
10366511022	Room2-57/Classroom/Right Sink	Water	10/08/16 00:30	10/14/16 09:45
10366511023	Room2-58/	Water	10/08/16 00:33	10/14/16 09:45
10366511024	Room2-59/ED.Office	Water	10/08/16 00:33	10/14/16 09:45
10366511025	Room2-62/Dept. Head Office	Water	10/08/16 00:40	10/14/16 09:45
10366511026	Room2-63/Classroom	Water	10/08/16 00:41	10/14/16 09:45
10366511027	Room2-66/Classroom	Water	10/08/16 00:43	10/14/16 09:45
10366511028	Room2-67/Classroom	Water	10/08/16 00:45	10/14/16 09:45
10366511029	Room2-68/Classroom	Water	10/08/16 00:46	10/14/16 09:45
10366511030	Room2-70/Hallway Fount./Upper	Water	10/08/16 00:55	10/14/16 09:45
10366511031	Room2-70/Hallway Fount./Lower	Water	10/08/16 00:55	10/14/16 09:45

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### SAMPLE ANALYTE COUNT

Project: NYSD - BLDG.11B-2nd Floor  
Pace Project No.: 10366511

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
10366511001	Room2-26/Library	EPA 200.8	TT3	1	PASI-M
10366511002	Room2-32/Kitchen/Left Sink	EPA 200.8	TT3	1	PASI-M
10366511003	Room2-32/Kitchen/Right Sink	EPA 200.8	TT3	1	PASI-M
10366511004	Room2-36/Hallway/Fountain	EPA 200.8	TT3	1	PASI-M
10366511005	Room2-39/ Bathroom/Sink	EPA 200.8	TT3	1	PASI-M
10366511006	Room2-41/Classroom Sink	EPA 200.8	TT3	1	PASI-M
10366511007	Room2-42/Classroom Sink	EPA 200.8	TT3	1	PASI-M
10366511008	Room2-44	EPA 200.8	TT3	1	PASI-M
10366511009	Room2-45/Girls BathRm/L. Sink	EPA 200.8	TT3	1	PASI-M
10366511010	Room2-45/Girls BathRm/R. Sink	EPA 200.8	TT3	1	PASI-M
10366511011	Room2-46	EPA 200.8	TT3	1	PASI-M
10366511012	Room2-48/Boys BathRm/L. Sink	EPA 200.8	TT3	1	PASI-M
10366511013	Room2-48/Boys BathRm/R. Sink	EPA 200.8	TT3	1	PASI-M
10366511014	Room2-49/Ladies Staff Bath/L.	EPA 200.8	TT3	1	PASI-M
10366511015	Room2-49/Ladies Staff Bath/R.	EPA 200.8	TT3	1	PASI-M
10366511016	Room2-53/Mens Staff Bath/L.	EPA 200.8	TT3	1	PASI-M
10366511017	Room2-53/Mens Staff Bath/R.	EPA 200.8	TT3	1	PASI-M
10366511018	Room2-54/ Girls Bath/Left Sink	EPA 200.8	TT3	1	PASI-M
10366511019	Room2-54/ Girls Bath/RightSink	EPA 200.8	TT3	1	PASI-M
10366511020	Room2-55/Boys Bath	EPA 200.8	TT3	1	PASI-M
10366511021	Room2-57/Classroom/Left Sink	EPA 200.8	WBS	1	PASI-M
10366511022	Room2-57/Classroom/Right Sink	EPA 200.8	WBS	1	PASI-M
10366511023	Room2-58/	EPA 200.8	WBS	1	PASI-M
10366511024	Room2-59/ED.Office	EPA 200.8	WBS	1	PASI-M
10366511025	Room2-62/Dept. Head Office	EPA 200.8	WBS	1	PASI-M
10366511026	Room2-63/Classroom	EPA 200.8	WBS	1	PASI-M
10366511027	Room2-66/Classroom	EPA 200.8	WBS	1	PASI-M
10366511028	Room2-67/Classroom	EPA 200.8	WBS	1	PASI-M
10366511029	Room2-68/Classroom	EPA 200.8	WBS	1	PASI-M
10366511030	Room2-70/Hallway Fount./Upper	EPA 200.8	WBS	1	PASI-M
10366511031	Room2-70/Hallway Fount./Lower	EPA 200.8	WBS	1	PASI-M

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: NYSD - BLDG.11B-2nd Floor  
Pace Project No.: 10366511

Sample: Room2-26/Library		Lab ID: 10366511001	Collected: 10/08/16 00:24	Received: 10/14/16 09:45	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

**200.8 MET ICPMS, DW** Analytical Method: EPA 200.8

Lead **33.0** ug/L 0.10 1 10/22/16 12:53 7439-92-1

Sample: Room2-32/Kitchen/Left Sink		Lab ID: 10366511002	Collected: 10/08/16 00:26	Received: 10/14/16 09:45	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

**200.8 MET ICPMS, DW** Analytical Method: EPA 200.8

Lead **3.1** ug/L 0.10 1 10/22/16 13:00 7439-92-1

Sample: Room2-32/Kitchen/Right Sink		Lab ID: 10366511003	Collected: 10/08/16 00:26	Received: 10/14/16 09:45	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

**200.8 MET ICPMS, DW** Analytical Method: EPA 200.8

Lead **0.42** ug/L 0.10 1 10/22/16 13:02 7439-92-1

Sample: Room2-36/Hallway/Fountain		Lab ID: 10366511004	Collected: 10/08/16 00:37	Received: 10/14/16 09:45	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

**200.8 MET ICPMS, DW** Analytical Method: EPA 200.8

Lead **0.55** ug/L 0.10 1 10/22/16 13:03 7439-92-1

Sample: Room2-39/ Bathroom/Sink		Lab ID: 10366511005	Collected: 10/08/16 00:58	Received: 10/14/16 09:45	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

**200.8 MET ICPMS, DW** Analytical Method: EPA 200.8

Lead **14.4** ug/L 0.10 1 10/22/16 13:04 7439-92-1

Sample: Room2-41/Classroom Sink		Lab ID: 10366511006	Collected: 10/08/16 00:57	Received: 10/14/16 09:45	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

**200.8 MET ICPMS, DW** Analytical Method: EPA 200.8

Lead **53.4** ug/L 0.10 1 10/22/16 13:05 7439-92-1

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: NYSD - BLDG.11B-2nd Floor  
Pace Project No.: 10366511

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
------------	---------	-------	--------------	----	----------	----------	---------	------

**Sample: Room2-42/Classroom Sink**    **Lab ID: 10366511007**    Collected: 10/08/16 00:56    Received: 10/14/16 09:45    Matrix: Water

Analytical Method: EPA 200.8

Lead	9.0	ug/L	0.10	1		10/22/16 13:06	7439-92-1	
------	-----	------	------	---	--	----------------	-----------	--

**Sample: Room2-44**    **Lab ID: 10366511008**    Collected: 10/08/16 00:54    Received: 10/14/16 09:45    Matrix: Water

Analytical Method: EPA 200.8

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
------------	---------	-------	--------------	----	----------	----------	---------	------

**200.8 MET ICPMS, DW**

Analytical Method: EPA 200.8

Lead	25.2	ug/L	0.10	1		10/22/16 13:08	7439-92-1	
------	------	------	------	---	--	----------------	-----------	--

**Sample: Room2-45/Girls BathRm/L. Sink**    **Lab ID: 10366511009**    Collected: 10/08/16 00:51    Received: 10/14/16 09:45    Matrix: Water

Analytical Method: EPA 200.8

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
------------	---------	-------	--------------	----	----------	----------	---------	------

**200.8 MET ICPMS, DW**

Analytical Method: EPA 200.8

Lead	8.2	ug/L	0.10	1		10/22/16 13:09	7439-92-1	
------	-----	------	------	---	--	----------------	-----------	--

**Sample: Room2-45/Girls BathRm/R. Sink**    **Lab ID: 10366511010**    Collected: 10/08/16 00:51    Received: 10/14/16 09:45    Matrix: Water

Analytical Method: EPA 200.8

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
------------	---------	-------	--------------	----	----------	----------	---------	------

**200.8 MET ICPMS, DW**

Analytical Method: EPA 200.8

Lead	4.5	ug/L	0.10	1		10/22/16 13:10	7439-92-1	
------	-----	------	------	---	--	----------------	-----------	--

**Sample: Room2-46**    **Lab ID: 10366511011**    Collected: 10/08/16 00:50    Received: 10/14/16 09:45    Matrix: Water

Analytical Method: EPA 200.8

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
------------	---------	-------	--------------	----	----------	----------	---------	------

**200.8 MET ICPMS, DW**

Analytical Method: EPA 200.8

Lead	4.0	ug/L	0.10	1		10/22/16 13:11	7439-92-1	
------	-----	------	------	---	--	----------------	-----------	--

**Sample: Room2-48/Boys BathRm/L. Sink**    **Lab ID: 10366511012**    Collected: 10/08/16 00:47    Received: 10/14/16 09:45    Matrix: Water

Analytical Method: EPA 200.8

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
------------	---------	-------	--------------	----	----------	----------	---------	------

**200.8 MET ICPMS, DW**

Analytical Method: EPA 200.8

Lead	6.6	ug/L	0.10	1		10/22/16 13:16	7439-92-1	
------	-----	------	------	---	--	----------------	-----------	--

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: NYSD - BLDG.11B-2nd Floor

Pace Project No.: 10366511

<b>Sample: Room2-48/Boys BathRm/R. Sink</b>								
		<b>Lab ID: 10366511013</b>	Collected: 10/08/16 00:47	Received: 10/14/16 09:45	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS, DW</b>		Analytical Method: EPA 200.8						
Lead	<b>6.7</b>	ug/L	0.10	1		10/22/16 13:17	7439-92-1	
<b>Sample: Room2-49/Ladies Staff Bath/L.</b>								
		<b>Lab ID: 10366511014</b>	Collected: 10/08/16 00:44	Received: 10/14/16 09:45	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS, DW</b>		Analytical Method: EPA 200.8						
Lead	<b>7.0</b>	ug/L	0.10	1		10/22/16 13:18	7439-92-1	
<b>Sample: Room2-49/Ladies Staff Bath/R.</b>								
		<b>Lab ID: 10366511015</b>	Collected: 10/08/16 00:44	Received: 10/14/16 09:45	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS, DW</b>		Analytical Method: EPA 200.8						
Lead	<b>3.9</b>	ug/L	0.10	1		10/22/16 13:20	7439-92-1	
<b>Sample: Room2-53/Mens Staff Bath/L.</b>								
		<b>Lab ID: 10366511016</b>	Collected: 10/08/16 00:37	Received: 10/14/16 09:45	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS, DW</b>		Analytical Method: EPA 200.8						
Lead	<b>50.4</b>	ug/L	0.10	1		10/22/16 13:21	7439-92-1	
<b>Sample: Room2-53/Mens Staff Bath/R.</b>								
		<b>Lab ID: 10366511017</b>	Collected: 10/08/16 00:37	Received: 10/14/16 09:45	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS, DW</b>		Analytical Method: EPA 200.8						
Lead	<b>151</b>	ug/L	0.10	1		10/22/16 13:22	7439-92-1	
<b>Sample: Room2-54/ Girls Bath/Left Sink</b>								
		<b>Lab ID: 10366511018</b>	Collected: 10/08/16 00:34	Received: 10/14/16 09:45	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS, DW</b>		Analytical Method: EPA 200.8						
Lead	<b>25.6</b>	ug/L	0.10	1		10/22/16 13:23	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: NYSD - BLDG.11B-2nd Floor  
Pace Project No.: 10366511

Sample: Room2-54/ Girls Bath/RightSink		Lab ID: 10366511019	Collected: 10/08/16 00:34	Received: 10/14/16 09:45	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS, DW</b>		Analytical Method: EPA 200.8						
Lead	<b>67.7</b>	ug/L	0.10	1		10/22/16 13:24	7439-92-1	
Sample: Room2-55/Boys Bath		Lab ID: 10366511020	Collected: 10/08/16 00:34	Received: 10/14/16 09:45	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS, DW</b>		Analytical Method: EPA 200.8						
Lead	<b>3.4</b>	ug/L	0.10	1		10/22/16 13:26	7439-92-1	
Sample: Room2-57/Classroom/Left Sink		Lab ID: 10366511021	Collected: 10/08/16 00:30	Received: 10/14/16 09:45	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS, DW</b>		Analytical Method: EPA 200.8						
Lead	<b>1.6</b>	ug/L	0.10	1		10/20/16 13:25	7439-92-1	
Sample: Room2-57/Classroom/Right Sink		Lab ID: 10366511022	Collected: 10/08/16 00:30	Received: 10/14/16 09:45	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS, DW</b>		Analytical Method: EPA 200.8						
Lead	<b>2.1</b>	ug/L	0.10	1		10/20/16 13:29	7439-92-1	
Sample: Room2-58/		Lab ID: 10366511023	Collected: 10/08/16 00:33	Received: 10/14/16 09:45	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS, DW</b>		Analytical Method: EPA 200.8						
Lead	<b>29.5</b>	ug/L	0.10	1		10/20/16 13:31	7439-92-1	
Sample: Room2-59/ED.Office		Lab ID: 10366511024	Collected: 10/08/16 00:33	Received: 10/14/16 09:45	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS, DW</b>		Analytical Method: EPA 200.8						
Lead	<b>154</b>	ug/L	0.10	1		10/20/16 13:32	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### ANALYTICAL RESULTS

Project: NYSD - BLDG.11B-2nd Floor

Pace Project No.: 10366511

Sample:	Room2-62/Dept. Head Office	Lab ID:	10366511025	Collected:	10/08/16 00:40	Received:	10/14/16 09:45	Matrix:	Water
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
<b>200.8 MET ICPMS, DW</b>	Analytical Method: EPA 200.8								
Lead	<b>378</b>	ug/L	0.10	1		10/20/16 13:33	7439-92-1		
Sample:	Room2-63/Classroom	Lab ID:	10366511026	Collected:	10/08/16 00:41	Received:	10/14/16 09:45	Matrix:	Water
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
<b>200.8 MET ICPMS, DW</b>	Analytical Method: EPA 200.8								
Lead	<b>157</b>	ug/L	0.10	1		10/20/16 13:37	7439-92-1		
Sample:	Room2-66/Classroom	Lab ID:	10366511027	Collected:	10/08/16 00:43	Received:	10/14/16 09:45	Matrix:	Water
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
<b>200.8 MET ICPMS, DW</b>	Analytical Method: EPA 200.8								
Lead	<b>25.5</b>	ug/L	0.10	1		10/20/16 13:38	7439-92-1		
Sample:	Room2-67/Classroom	Lab ID:	10366511028	Collected:	10/08/16 00:45	Received:	10/14/16 09:45	Matrix:	Water
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
<b>200.8 MET ICPMS, DW</b>	Analytical Method: EPA 200.8								
Lead	<b>12.1</b>	ug/L	0.10	1		10/20/16 13:39	7439-92-1		
Sample:	Room2-68/Classroom	Lab ID:	10366511029	Collected:	10/08/16 00:46	Received:	10/14/16 09:45	Matrix:	Water
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
<b>200.8 MET ICPMS, DW</b>	Analytical Method: EPA 200.8								
Lead	<b>13.9</b>	ug/L	0.10	1		10/20/16 13:40	7439-92-1		
Sample:	Room2-70/Hallway Fount./Upper	Lab ID:	10366511030	Collected:	10/08/16 00:55	Received:	10/14/16 09:45	Matrix:	Water
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
<b>200.8 MET ICPMS, DW</b>	Analytical Method: EPA 200.8								
Lead	<b>6.1</b>	ug/L	0.10	1		10/20/16 13:41	7439-92-1		

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## ANALYTICAL RESULTS

Project: NYSD - BLDG.11B-2nd Floor

Pace Project No.: 10366511

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>Sample: Room2-70/Hallway Fount./Lower</b>		<b>Lab ID: 10366511031</b>		Collected: 10/08/16 00:55	Received: 10/14/16 09:45	Matrix: Water		
<b>200.8 MET ICPMS, DW</b>								
		Analytical Method: EPA 200.8						
Lead	<b>11.1</b>	ug/L	0.10	1		10/20/16 13:42	7439-92-1	

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

**QUALITY CONTROL DATA**

Project: NYSD - BLDG.11B-2nd Floor

Pace Project No.: 10366511

---

QC Batch: 442005 Analysis Method: EPA 200.8  
 QC Batch Method: EPA 200.8 Analysis Description: ICPMS Metals, Drinking Water  
 Associated Lab Samples: 10366511001, 10366511002, 10366511003, 10366511004, 10366511005, 10366511006, 10366511007, 10366511008, 10366511009, 10366511010, 10366511011, 10366511012, 10366511013, 10366511014, 10366511015, 10366511016, 10366511017, 10366511018, 10366511019, 10366511020

---

METHOD BLANK: 2407271 Matrix: Water  
 Associated Lab Samples: 10366511001, 10366511002, 10366511003, 10366511004, 10366511005, 10366511006, 10366511007, 10366511008, 10366511009, 10366511010, 10366511011, 10366511012, 10366511013, 10366511014, 10366511015, 10366511016, 10366511017, 10366511018, 10366511019, 10366511020

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Lead	ug/L	ND	0.10	10/22/16 12:51	

LABORATORY CONTROL SAMPLE: 2407272

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	100	99.5	99	85-115	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2412656 2412657

Parameter	Units	10366511001 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Lead	ug/L	33.0	100	100	129	130	96	97	70-130	0	20	

MATRIX SPIKE SAMPLE: 2412658

Parameter	Units	10366511011 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	4.0	100	105	101	70-130	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

**REPORT OF LABORATORY ANALYSIS**

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.

**QUALITY CONTROL DATA**

Project: NYSD - BLDG.11B-2nd Floor

Pace Project No.: 10366511

---

QC Batch: 442170 Analysis Method: EPA 200.8  
 QC Batch Method: EPA 200.8 Analysis Description: ICPMS Metals, Drinking Water  
 Associated Lab Samples: 10366511021, 10366511022, 10366511023, 10366511024, 10366511025, 10366511026, 10366511027, 10366511028, 10366511029, 10366511030, 10366511031

---

METHOD BLANK: 2409088 Matrix: Water  
 Associated Lab Samples: 10366511021, 10366511022, 10366511023, 10366511024, 10366511025, 10366511026, 10366511027, 10366511028, 10366511029, 10366511030, 10366511031

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Lead	ug/L	ND	0.10	10/20/16 13:23	

LABORATORY CONTROL SAMPLE: 2409089

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	100	95.1	95	85-115	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2409585 2409586

Parameter	Units	10366511021 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Lead	ug/L	1.6	100	100	100	100	99	99	70-130	0	20	

MATRIX SPIKE SAMPLE: 2409587

Parameter	Units	10366511031 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	11.1	100	107	96	70-130	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

**REPORT OF LABORATORY ANALYSIS**

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.

## QUALIFIERS

Project: NYSD - BLDG.11B-2nd Floor

Pace Project No.: 10366511

---

### DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above adjusted reporting limit.

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

PQL - Practical Quantitation Limit.

RL - Reporting Limit.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

### LABORATORIES

PASI-M Pace Analytical Services - Minneapolis

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: NYS - BLDG.11B-2nd Floor  
Pace Project No.: 10366511

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
10366511001	Room2-26/Library	EPA 200.8	442005		
10366511002	Room2-32/Kitchen/Left Sink	EPA 200.8	442005		
10366511003	Room2-32/Kitchen/Right Sink	EPA 200.8	442005		
10366511004	Room2-36/Hallway/Fountain	EPA 200.8	442005		
10366511005	Room2-39/ Bathroom/Sink	EPA 200.8	442005		
10366511006	Room2-41/Classroom Sink	EPA 200.8	442005		
10366511007	Room2-42/Classroom Sink	EPA 200.8	442005		
10366511008	Room2-44	EPA 200.8	442005		
10366511009	Room2-45/Girls BathRm/L. Sink	EPA 200.8	442005		
10366511010	Room2-45/Girls BathRm/R. Sink	EPA 200.8	442005		
10366511011	Room2-46	EPA 200.8	442005		
10366511012	Room2-48/Boys BathRm/L. Sink	EPA 200.8	442005		
10366511013	Room2-48/Boys BathRm/R. Sink	EPA 200.8	442005		
10366511014	Room2-49/Ladies Staff Bath/L.	EPA 200.8	442005		
10366511015	Room2-49/Ladies Staff Bath/R.	EPA 200.8	442005		
10366511016	Room2-53/Mens Staff Bath/L.	EPA 200.8	442005		
10366511017	Room2-53/Mens Staff Bath/R.	EPA 200.8	442005		
10366511018	Room2-54/ Girls Bath/Left Sink	EPA 200.8	442005		
10366511019	Room2-54/ Girls Bath/RightSink	EPA 200.8	442005		
10366511020	Room2-55/Boys Bath	EPA 200.8	442005		
10366511021	Room2-57/Classroom/Left Sink	EPA 200.8	442170		
10366511022	Room2-57/Classroom/Right Sink	EPA 200.8	442170		
10366511023	Room2-58/	EPA 200.8	442170		
10366511024	Room2-59/ED.Office	EPA 200.8	442170		
10366511025	Room2-62/Dept. Head Office	EPA 200.8	442170		
10366511026	Room2-63/Classroom	EPA 200.8	442170		
10366511027	Room2-66/Classroom	EPA 200.8	442170		
10366511028	Room2-67/Classroom	EPA 200.8	442170		
10366511029	Room2-68/Classroom	EPA 200.8	442170		
10366511030	Room2-70/Hallway Fount./Upper	EPA 200.8	442170		
10366511031	Room2-70/Hallway Fount./Lower	EPA 200.8	442170		

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



<b>Section A</b> Required Client Information:		<b>Section B</b> Required Project Information:		<b>Section C</b> Invoice Information:	
Company: NYS School for the Deaf		Report To:		Attention:	
Address: 401 Turin Rd		Copy To:		Company Name:	
Rome, NY				Address:	
Email To: michael.ananiano@nysed.gov		Purchase Order No.:		Pace Quote Reference:	
Phone: Fax:		Project Name: BLDG.11B-2nd FLOOR		Pace Project Manager:	
Requested Due Date/TAT:		Project Number:		Pace Profile #:	

**REGULATORY AGENCY**

NPDES  GROUND WATER  DRINKING WATER

UST  RCRA  OTHER

**SITE LOCATION**

GA  IL  IN  MI  NC

OH  SC  WI  OTHER\_NY

ITEM #	Section D Required Client Information	Valid Matrix Codes		MATRIX CODE	SAMPLE TYPE G-GRAB C-COMP	COLLECTED				SAMPLE TEMP AT COLLECTION	# OF CONTAINERS	Preservatives								Filtered (Y/N)	Requested An:	Pace Project No. Lab I.D.
		MATRIX	CODE			COMPOSITE START		COMPOSITE END/GRAB				Unpreserved	H2SO4	HNO3	HCl	NaOH	Na2S2O3	Methanol	Na2SO4			
		DRINKING WATER WATER WASTE WATER PRODUCT SOUSOLID OIL WIPE AIR OTHER TISSUE	DW WT WW P SL CL WP AP OT TS			DATE	TIME	DATE	TIME													
1	Room 2-48/BOYS BATHROOM/RIGHT SINK	DW	G			10/8	00:47			1		1						X			013	
2	Room 2-49/LADIES STAFF BATH/LEFT SINK	DW	G				00:44			1		1						X			014	
3	Room 2-49/LADIES STAFF BATH/RIGHT SINK	DW	G				00:44			1		1						X			015	
4	Room 2-53/MENS STAFF BATH/LEFT SINK	DW	G				00:37			1		1						X			016	
5	Room 2-53/MENS STAFF BATH/RIGHT SINK	DW	G				00:37			1		1						X			017	
6	Room 2-54/GIRLS BATH/LEFT SINK	DW	G				00:34			1		1						X			018	
7	Room 2-54/GIRLS BATH/RIGHT SINK	DW	G				00:34			1		1						X			019	
8	Room 2-55/BOYS BATH	DW	G				00:34			1		1						X			020	
9	Room 2-57/CLASSROOM/LEFT SINK	DW	G				00:30			1		1						X			021	
10	Room 2-57/CLASSROOM/RIGHT SINK	DW	G				00:30			1		1						X			022	
11	Room 2-58/	DW	G				00:33			1		1						X			023	
12	Room 2-59/ED. OFFICE	DW	G				00:33			1		1						X			024	

ADDITIONAL COMMENTS	RELINQUISHED BY / AFFILIATION	DATE	TIME	ACCEPTED BY / AFFILIATION	DATE	TIME	SAMPLE CONDITIONS				
	James Murphy PACE	10/8/16	18:30	W O / PACE	10/14/16	9:45	124	Y/N	Y/N	Y/N	Y/N
		10/13/16						Y/N	Y/N	Y/N	Y/N
								Y/N	Y/N	Y/N	Y/N

**SAMPLER NAME AND SIGNATURE**

PRINT Name of SAMPLER: James Murphy - PACE Analytical

SIGNATURE of SAMPLER: *James Murphy* DATE Signed (MM/DD/YY): 10/8/16

Temp in °C: 124

Received on Ice: Y/N

Custody Sealed Cooler: Y/N

Samples Intact: Y/N



**Section A**

Required Client Information:

Company: NYS School for the Deaf  
 Address: 401 Turin Rd  
 Rome, NY  
 Email To: michael.ananiano@nysed.gov  
 Phone: \_\_\_\_\_ Fax: \_\_\_\_\_  
 Requested Due Date/TAT: \_\_\_\_\_

**Section B**

Required Project Information:

Report To: \_\_\_\_\_  
 Copy To: \_\_\_\_\_  
 Purchase Order No.: \_\_\_\_\_  
 Project Name: BLDG.11B-2nd FLOOR  
 Project Number: \_\_\_\_\_

**Section C**

Invoice Information:


Attention: \_\_\_\_\_  
 Company Name: \_\_\_\_\_  
 Address: \_\_\_\_\_  
 Pace Quote Reference: \_\_\_\_\_  
 Pace Project Manager: \_\_\_\_\_  
 Pace Profile #: \_\_\_\_\_

**REGULATORY AGENCY**  
 NPDES  GROUND WATER  DRINKING WATER  
 UST  RCRA  OTHER \_\_\_\_\_  
**SITE LOCATION**  
 GA  IL  IN  MI  NC  
 OH  SC  WI  OTHER\_NY\_ \_\_\_\_\_  
 Filtered (Y/N) \_\_\_\_\_

ITEM #	Section D Required Client Information	Valid Matrix Codes MATRIX CODE	MATRIX CODE	SAMPLE TYPE G=GRAB C=COMP	COLLECTED				SAMPLE TEMP AT COLLECTION	# OF CONTAINERS	Preservatives							Requested Analytes	Residual Chlorine (Y/N)	Pace Project No. Lab I.D.		
					COMPOSITE START		COMPOSITE END/GRAB				Unpreserved	H <sub>2</sub> SO <sub>4</sub>	HNO <sub>3</sub>	HCl	NaOH	Na <sub>2</sub> SO <sub>3</sub>	Methanol				Na <sub>2</sub> SO <sub>4</sub>	
					DATE	TIME	DATE	TIME														
1	Room 2-62/DEPT. HEAD OFFICE	DW	G			10/8	00:40		1		1										025	
2	Room 2-63/CLASSROOM	DW	G				00:41		1		1											026
3	<del>Room 2-64/CLASSROOM</del>	DW	G				00:42		1		1											
4	Room 2-66/CLASSROOM	DW	G				00:43		1		1											027
5	Room 2-67/CLASSROOM	DW	G				00:44		1		1											028
6	Room 2-68/CLASSROOM	DW	G				00:46		1		1											029
7	Room 2-70/HALLWAY FONTAIN/LOWER	DW	G				00:55		1		1											030
8	Room 2-70/HALLWAY FONTAIN/LOWER	DW	G				00:55		1		1											031
9		DW	G						1		1											
10		DW	G						1		1											
11		DW	G						1		1											
12		DW	G						1		1											

ADDITIONAL COMMENTS	RELINQUISHED BY / AFFILIATION	DATE	TIME	ACCEPTED BY / AFFILIATION	DATE	TIME	SAMPLE CONDITIONS			
	J. Murphy PACE	10/10/16	18:30	J. Murphy PACE	10/14/16	9:45	17.4	Y	Y	Y
								Y/N	Y/N	Y/N
								Y/N	Y/N	Y/N
								Y/N	Y/N	Y/N

SAMPLER NAME AND SIGNATURE  
 PRINT Name of SAMPLER: James Murphy - PACE Analytical  
 SIGNATURE of SAMPLER: *J. Murphy* DATE Signed (MM / DD / YY): 10/8/16  
 Temp in °C: \_\_\_\_\_  
 Received on Ice: \_\_\_\_\_  
 Custody Sealed Cooler: \_\_\_\_\_  
 Samples intact: \_\_\_\_\_

	Document Name: <b>Sample Condition Upon Receipt Form</b>	Document Revised: 02Aug2016 Page 1 of 2
	Document No.: <b>F-MN-L-213-rev.17</b>	Issuing Authority: Pace Minnesota Quality Office

**Sample Condition Upon Receipt**

Client Name:

NYS school for deaf

Project #:

**WO# : 10366511**



Courier:  Fed Ex  UPS  USPS  Client  
 Commercial  Pace  SpeedDee  Other:  
 Tracking Number: 7774 6734 7979

Custody Seal on Cooler/Box Present?  Yes  No      Seals Intact?  Yes  No      Optional: Proj. Due Date:      Proj. Name:

Packing Material:  Bubble Wrap  Bubble Bags  None  Other:      Temp Blank?  Yes  No

Thermometer Used:  151401163  151401164  B88A912167504  B88A0143310098      Type of Ice:  Wet  Blue  None  Samples on ice, cooling process has begun

Cooler Temp Read (°C): 17.4      Cooler Temp Corrected (°C): 17.6      Biological Tissue Frozen?  Yes  No  N/A  
 Temp should be above freezing to 6°C      Correction Factor: +0.2      Date and Initials of Person Examining Contents: BC 10/18/16

USDA Regulated Soil (  N/A, water sample)

Did samples originate in a quarantine zone within the United States: AL, AR, AZ, CA, FL, GA, ID, LA, MS, NC, NM, NY, OK, OR, SC, TN, TX or VA (check maps)?  Yes  No  N/A  
 Did samples originate from a foreign source (internationally, including Hawaii and Puerto Rico)?  Yes  No  N/A

If Yes to either question, fill out a Regulated Soil Checklist (F-MN-Q-338) and include with SCUR/COC paperwork.

	COMMENTS:
Chain of Custody Present? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	1.
Chain of Custody Filled Out? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	2.
Chain of Custody Relinquished? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	3.
Sampler Name and/or Signature on COC? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	4.
Samples Arrived within Hold Time? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	5.
Short Hold Time Analysis (<72 hr)? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	6.
Rush Turn Around Time Requested? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	7.
Sufficient Volume? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	8.
Correct Containers Used? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	9.
-Pace Containers Used? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Containers Intact? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	10.
Filtered Volume Received for Dissolved Tests? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	11. Note if sediment is visible in the dissolved container
Sample Labels Match COC? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	12.
-Includes Date/Time/ID/Analysis Matrix: <u>water</u>	
All containers needing acid/base preservation have been checked? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	13. <input checked="" type="checkbox"/> HNO <sub>3</sub> <input type="checkbox"/> H <sub>2</sub> SO <sub>4</sub> <input type="checkbox"/> NaOH <input type="checkbox"/> HCl
All containers needing preservation are found to be in compliance with EPA recommendation? (HNO <sub>3</sub> , H <sub>2</sub> SO <sub>4</sub> , HCl<2; NaOH >9 Sulfide, NaOH>12 Cyanide) <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	Sample # <u>1/1 1-31</u>
Exceptions: VOA, Coliform, TOC, Oil and Grease, DRO/8015 (water) DOC <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	Initial when completed:      Lot # of added preservative:
Headspace in VOA Vials (>6mm)? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	14.
Trip Blank Present? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	15.
Trip Blank Custody Seals Present? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Pace Trip Blank Lot # (if purchased):	

**CLIENT NOTIFICATION/RESOLUTION**

Field Data Required?  Yes  No

Person Contacted: \_\_\_\_\_ Date/Time: \_\_\_\_\_

Comments/Resolution: \_\_\_\_\_

Project Manager Review:

Amanda J. Albrecht

Date: 10/19/16

Note: Whenever there is a discrepancy affecting North Carolina compliance samples, a copy of this form will be sent to the North Carolina DEHNR Certification Office (i.e. out of hold, incorrect preservative, out of temp, incorrect containers).